

## ASV C115' Fly

<b>Length over all</b>	<b>34,6m</b>
<b>Hull length</b>	<b>32,4m</b>
<b>Water line length (of cushion)</b>	<b>28,3m</b>
<b>Water line length (on cushion)</b>	<b>27,1m</b>
<b>Maximum beam</b>	<b>8,7m</b>
<b>Height over waterline</b>	<b>5,8m</b>
<b>Transport height (without arch)</b>	<b>7,1m</b>
<b>Draft (of cushion) fully loaded</b>	<b>1,4m</b>
<b>Draft (on cushion) fully loaded</b>	<b>0,8m</b>
<b>Displacement, unloaded</b>	
<b>Displacement, fully loaded</b>	
<b>Fuel capacity</b>	<b>6000L</b>
<b>Fresh water capacity</b>	<b>1000L</b>
<b>Engines MTU 2000 M93</b>	<b>2x2400hk</b>
<b>Speed</b>	<b>+50kn</b>
<b>Cabins</b>	<b>4</b>
<b>Crew cabins</b>	<b>3</b>
<b>Heads</b>	<b>4</b>
<b>Crew heads</b>	<b>3</b>
<b>Homologation category</b>	<b>MCA LY2</b>



The general arrangement drawings below are preliminary.

